



ARM Telcibey is a manufacturer of grass fence, panel fence, chain-link, barbed wire, and razor wire production machines.

We have consolidated over 40 years of machinery experience under the corporate umbrella of ARM Telcibey.

With our motto "Solution-Oriented Approaches", we focus on the challenges faced by wire fence manufacturers—such as production delays, labor-intensive operations, and workflow inefficiencies. All of our machines are designed with this approach in mind.

If you are aiming for higher production capacity, reduced labor dependency, lower maintenance costs, and superior product quality, make sure to explore ARM Telcibey's wire fence machinery before making a purchase decision.

Here are the machines we manufacture under ARM Telcibey:

- **Grass Fence Wire Machine: CCH PRO**
- **Grass Fence Chain Link Machine: CCO PRO**
- **Chain Link Fence Machine: HTO PRO**
- **Panel Fence Spot Welding Machine: PCP PRO**
- **Profile Flange Welding Machine: AKR**
- **Profile Drilling Machine: PDM**
- **Wire Straightening and Cutting Machine: TDK PRO**
- **Wire Bending Press: TBP**
- **Razor Wire Machine : AJT**
- **Barbed Wire Machine: DKN PRO**

Choose ARM Telcibey's professional-grade wire fence production machines for a competitive edge in wire manufacturing — enabling faster, more efficient, and higher-quality output with fewer personnel.

wire fence machines

CCH PRO

Grass Fence Wire Machine

Patented “Endless Transfer System” — Full Feeding Without Reels

Control System : Touchscreen Panel and Remote Control
Capacity : 1800 linear meters/hour (50 m²/hour)
Wire Diameter : ø 1,5 mm – 2,00 mm



CCO PRO

Grass Fence Chain Link Machine



**With the patented “Endless Transfer System,”
reel-free full feeding**

System : Semi-Automatic with Counter
Capacity: 50 m²/hour

HTO PRO Chain Link Fence Machine



	HTO-200	HTO-300	HTO-400	HTO-600
Weaving Width	0.2-2.2 mt	0.2-3.2 mt	0.2-4.2 mt	0.2-6.2 mt
Weaving Wire Diameter	1,9-3,2 mm	1,9-3,2 mm	1,9-3,2 mm	1,9-3,2 mm
Mesh Opening Size	30-85 mm	30-85 mm	30-85 mm	30-85 mm

Capacity : 120 m²/hour (varies depending on mesh size)

PCP PRO Panel Fence Spot Welding Machine



- System** : Fully automatic – Easily adjustable welding points
Feeding : Horizontal wire feeding from magazine; automatic lengthwise wire feeding
Capacity : 600–750 panels/day (depending on mesh spacing)
Wire Diameter : Ø 2 mm – 8 mm
Transformer : 3 × 120 kW

We can provide customized machine configurations tailored to your desired panel sizes, wire specifications, and available power capacity.

AKR Profile Flange Welding Machine

Profile Length : 50 – 250 cm
Profile Dimensions : 50×50 mm – 80×80 mm (square)
Capacity : 15 sec/unit
System : Includes 2 water-cooled
400A welding units



PDM Profile Drilling Machine



Taşınabilir
Portable
Foot pedal operated
Capacity: 400 units/hour with
2 mm profile thickness

TBP Wire Bending Press

Bending Range : 50–280 cm
System : Hydraulic
Power : 80 tons
Wire Diameter : Ø 2 mm – 6 mm
Capacity : 10 seconds/unit



DKN PRO

Barbed Wire Machine

Reel-Free
Double-Sided Winding
Speed Adjustable
Automatic Counter
Capacity : 750–1000 m/hour
Feeding : Fully automatic feeding
Wire Diameter : Ø 1.3 mm – 2.5 mm
Barb Spacing : 120 mm (fixed)



AJT PRO

Razor Wire Machine



Sheet Width : 22 mm
Thickness : 0.40–0.50 mm
System : Fully automatic feeding
Adjustable Speed Options
Capacity : 450 m/hour
Wire Output : Helical / Planar

wire fence machines



“Constructive approaches”

armtelcibey.com.tr
+90 505 379 95 99

☎ Beytepe Mh. 1669/3 Sk. No:10 Çankaya - Ankara - Türkiye
☎ Fevzi Çakmak Mh. 10758 Sk. No:29B Karatay - Konya - Türkiye

Türkiye

